

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-000098-LIC  
 ISO/IEC 17025:2017 Acc. L17-427-1 #85368



Sample **Modus Kratom Shots - Flo**

Sample ID	SD231025-017 (86583)	Matrix	Edible/Tincture (Other Cannabis Good)
Tested for	California Diamond Distribution	Reported	Oct 27, 2023
Sampled	-	Received	Oct 24, 2023
Analyses executed	KTM	Unit Mass (g)	10.0

**KTM - Kratom Analysis**

Analyzed Oct 25, 2023 | Instrument HPLC VWD | Method SOP-KTM  
 The expanded Uncertainty of the analysis is approximately ±7.81% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Unit
7-hydroxy Mitragynine (7HMG)	4.0e-05	0.00012	ND	ND	ND
Mitragynine (MITG)	9.0e-05	0.00027	1.98	19.81	198.10
Speciogynine (SPEG)	3.0e-05	0.0001	ND	ND	ND
Speciociliatine (SPCL)			0.18	1.80	18.00

Sample photography



UI Unidentified  
 ND Not Detected  
 N/A Not Applicable  
 NT Not Reported  
 LOD Limit of Detection  
 LOQ Limit of Quantification  
 <LOQ Detected  
 >ULOL Above upper limit of linearity  
 CFU/g Colony Forming Units per 1 gram  
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

*Brandon Starr*

Brandon Starr, Lab Manager  
 Fri, 27 Oct 2023 16:29:30 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. L17-427-1

\*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.