

721 Cortaro Dr. Sun City Center, FL 33573 NABIS & HEMP www.acslabcannabis.com

DEA No. RA0571996 FL License # CMTL-0003 CLIA No. 10D1094068

Blue Magic Amenita Gummy Sample Matrix: Mushroom Edibles (Ingestion)



Certificate of Analysis

Client Information:

California Diamond Distribution, INC

5143 Port Chicago Highway

Suite C

Concord, CA 94520

Order # CAL230330-070001 Order Date: 2023-03-30 Sample # AAEH405

Batch # 23080A Batch Date: 2023-03-30

Extracted From: Amenita Mushroom

Compliance Test

Cultivation Date: 0000-00-00

Production Date: 0000-00-00

Initial Gross Weight: 28.058 g **Net Weight:** 23.958 g

Number of Units: Net Weight per Unit: 23958.000 mg Sampling Method: MSP 7.3.1



Amanita Muscaria **Tested**

Sampling Date: 2023-04-04

Lab Batch Date: 2023-04-04 Completion Date: 2023-04-11

Amanita Analytes

Specimen Weight: 1793.800 mg

Tested SOP 13.058 (LCMS) **Alkaloid Potency Summary**

Total Alkaloids per Bag 0.520mg 0.00217%

Total Psilocybe

Pieces For Panel: 6

Analyte Muscarine	(%) 3.65E-06	(%) 1.3E-5	(mg/g) 0.0132	0.00132	
Ibotenic acid	1.13E-05	5.21E-5	0.0060	0.0006	
Muscimol	8.81E-06	5.21E-5	0.0025	0.00025	
Prep. By: 1195	Date: 2023-04-06	23:19:58 Analy	zed By: 1232	Date: 2023-0	4-06 13:05:43
Reviewed By: 101	Date: 2023-04-11	14:03:43 Lab B	atch #: AAEH405	415 Date : 2023-0	4-11 14:03:43

Aixia Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)







Definitions and Abbreviations used in this report: (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, LOD = Limit of Detection, (μg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (μg/g), (aw) = Water Activity

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



QA By: 1057 on 2023-04-11 14:45:58 V1

ABORATORY | BEYOND COMPLIAN Page 1 of 1

Form F672